FAX BID REQUEST

BID NUMBER: 21459

STATE OF CONNECTICUT ENVIRONMENTAL PROTECTION 141 SOUTH ST., UNIT D WEST HARTFORD CT 06110-1963 PHONE: 860-723-7601 FAX: 860-953-8581

Vendor:		Ship Location: State of Ct. D.E.P. Portland Depot 163 Great Hill Rd.
Phone:	Fax:	Portland, CT 06480

DATE ISSUED	ISSUED BY Carl Chu	DATE/TIME BID REQUIRE 2/25/09	DATE WORK REQUIRED	F.O.B.	TERMS	
2/18/09	Please return bid to Fax: 860-953-8581	SEE INSTRUCTIONS BELOW	ASAP	ALL PRICES MUST BE F.O.B. DESTINATION	Net 45 days	

ITEM NO.	DESCRIPTION	UNIT	QUAN	UNIT PRICE	TOTAL
1.	Loftness Front-Mounted Flail Mower Model 90 MH. For: Post-Track Model MD02810	EA	1		
	As Per Attached Specifications For: Hydraulic Driven Flail Mower.				
			-		

NOTE: DO NOT INCLUDE FEDERAL EXCISE TAXES OR CONNECTICUT SALES TAX, AS THE STATE IS EXEMPT.
BIDDER INSTRUCTIONS: PLEASE FAX YOUR QUOTE ON THIS FORM TO (860) 953-8581 AND MAIL FORM WITH ORIGINAL SIGNATURE
TO THE ADDRESS IN THE UPPER RIGHT HAND CORNER. ALL PRICES MUST BE F.O.B. DESTINATION AND YOU MUST SIGN THIS
FORM. THE STATE RESERVES THE RIGHT TO REJECT IN WHOLE OR IN PART ANY AND ALL BIDS. PLEASE NOTE BID DEADLINE.
LATE BIDS WILL NOT BE ACCEPTED. THE UNDERSIGNED BIDDER AFFIRMS AND DECLARES: THAT THIS QUOTATION IS EXECUTED
AND SIGNED BY SAID BIDDER WITH FULL KNOWLEDGE AND ACCEPTANCE OF THE PROVISIONS OF FORM SP-19 OF CURRENT
ISSUE AND IN EFFECT ON THE DATE OF THIS BID ISSUE. FORM SP-19, ENTITLED STANDARD BID AND CONTRACT TERMS AND
CONDITIONS TOGETHER WITH THE COMMODITY SPECIFICATIONS, PROPOSAL SCHEDULE, AND SPECIAL BID AND CONTRACT
TERMS ARE MADE A PART OF THIS REQUEST FOR QUOTATION.

QUOTATION NO.	DATE :	VENDOR FEIN/SSN:	ARE YOU INCO	RPORATED?	DELIVERY AS REQ= (UNLESS NOTED HERE)		=D ABOVE `
SIGNED:		TITLE :	TELEPHONE N EXTENSION :	O. AND			PAYMENT TERMS: %
PRINTED:					Days Net 45		
					%	DAYS	NET 45

SPECIFICATIONS FOR HYDRAULIC DRIVEN FLAIL MOWER

General:

The overall scope of these specifications is to describe a hydraulic driven, skid steer mounted flail mower. The unit shall be the manufacturers latest production model and be covered by manufacturers standard warranty. The unit must also meet or exceed all Federal and State OSHA and ANSI regulations for this type of equipment in force at the time of delivery. The unit shall be delivered to the Agency as a complete working unit with all accessories mounted and functional.

The following make and model is to be considered acceptable for this bid.

<u>Make</u>

Model

Loftness

90mH

Bidders bidding on any other make or model should include detailed product literature with the bid and shall list any and all deviations from these specifications.

Specifications are as follows:

- 1. Mounting
 - A. Skid steer style only, with industry standard quick connect system
- 2. Drive
 - A. Hydrostatic Drive
 - B. To include hydraulic hoses with quick couplings (Note: Exact style quick connect hose couplings to be determined with Agency Representative)
 - C. 21 GPM minimum flow requirement
 - D. 3 grove banded belt with spring loaded belt tensioner.
 - E. Direct coupled hydraulic motor to belt pulley.
 - F. 2100 mower RPM
- 3. Body/Frame
 - A. 10 gauge steel body
 - B. Replaceable, adjustable ski shoes
 - C. Heavy duty steel frame
 - D. To include all manufacturers standard safety shields and guards
- 4. Capacity
 - A. Ability to cut 3/4" brush and very tall weeds/vegetation

[&]quot; Or equal "

SPECIFICATIONS FOR HYDRAULIC DRIVEN FLAIL MOWER - Continued

- 5. Knives
 - A. Heat treated reversible 2 knife sets
 - B. To include 2 complete sets of knives with bolts (1 set being mounted to mower upon delivery).
- 6. Cutting Width
 - A. 90" cutting width
- 7. Weight
 - A. Approximately 990-lbs.
- 8. Manuals
 - A. To include the following manuals/discs
 - 1. Parts
 - 2. Operators
 - 3. Technical Service
- 9. Warranty
 - A. To be covered by manufacturers standard warranty.